



9540004600



www.supertechev.com

S
SUPERTECH EVTM
Drive the Future

ज्यादा चलाओ,
ज्यादा कमाओ

MAXX

PILOT



3-Wheeler Catalog

India's Fastest Growing EV Brand

Zyada Chalayein, Zyada Kamayein



ABOUT US

Powering India's Green Future

Supertech EV is India's leading electric mobility brand, dedicated to transforming everyday transport and logistics through clean energy.

Founded in 2010, we are headquartered in Bahadurgarh, Haryana.

Our brand offers a wide range of reliable electric 3-wheelers for passengers and cargo.

With a strong network of 50+ dealers and 80+ service locations, we ensure seamless sales and after-sales support nationwide.



WE OFFER



ICAT-Approved
E-rickshaws and
Electric Loaders



Vehicles built for Tier
2/3 cities and rural
logistics



Dual battery
support: Lead Acid &
Lithium-ion



AMC support,
warranty, and fleet
solutions



VISION

To Lead The Transformation Of Everyday Mobility In India By Making Clean, Efficient, And Reliable Electric Vehicles Accessible To Every Urban Commuter, Fleet Operator, And Gig Worker Powering A Greener, Smarter, And More Sustainable Future

MISSION

We design, manufacture, and deliver high-performance electric two-wheelers and three-wheelers for individuals and businesses across India. With a commitment to innovation, affordability & after-sales care, we empower customers with trusted mobility solutions built for the real roads of India

CORE VALUES



TRUST BUILT OVER TIME

A decade of experience has taught us that trust is earned through consistent performance, quality, and customer care.



INNOVATION WITH PURPOSE

We innovate not for the sake of trends, but to solve real problems with practical, scalable EV solutions.



EMPOWERMENT THROUGH ACCESSIBILITY

We believe future-ready mobility should be affordable and available to every Indian – no matter their income or industry.



DURABILITY FOR INDIA ROADS

Our vehicles are designed and built to withstand tough terrain, heavy loads, and daily demands of Indian commuting.



CUSTOMER COMMITMENT

We stand by our customers long after the sale—through robust service support, spare parts availability, and reliability.



SUSTAINABILITY IN ACTION

Every Supertech EV on the road reduces emissions, lowers operating costs, and moves India toward a cleaner tomorrow.

Zyada Chalayein, Zyada Kamayein



PILOT

DRIVE MORE, EARN MORE

Supertech's Trusted E-rickshaw , Built Strong And Sturdy For Daily Passenger Rides And Goods Loading. With A Rugged Frame, Powerful Bldc Motor, And Long-range Battery, Pilot Ensures Smooth, Economical Travel In Both City Lanes And Village Roads



MAXX

MAXX HAI TO RAFTAAR HAI

Supertech's Premium High-speed Auto Rickshaw Range Designed For Both Passengers And Cargo. Built Strong For Daily Heavy-duty Use, Maxx Delivers Powerful Performance, Higher Load Capacity, And Long Battery Life



Supertech's reliable E-rickshaw with powerful BLDC motor and sturdy build for Indian roads. Ideal for passenger mobility with low running cost and strong suspension for daily use.

Specifications & Features:

Motor	BLDC 1000W/1250W
Controller	50A Capacity
Speed	25 KM/H (Economy Mode)
Charger	18AMP/25AMP
Range/Charge	90-100 km
Charging Time	4-8 Hours
Gross Vehicle Weight	584 kg
Front Suspension	43MM Telescopic Hydraulic
Rear Suspension	Leaf Spring with Spring Shocker
Brake System	Drum Brakes (Front & Rear)
Wheel Base	1200 mm
Ground Clearance	140mm

Dimensions (LxWxH)	(2750 x 990 x 1790) MM
Key Feature	Central Locking & Fog Lights
Loading Capacity	150 Kg
Head Light	12V Tube
Tyre	Front - 3.75 - 12 / Rear - 3.75 - 12
Back Light	Unique Design with LED
Speedometer	Digital
Battery	Lead Acid / Lithium Ion
Wheel	Stylish Aluminium Alloy Wheel
Seats Capacity	4+1 Passenger

Colors Availability





Premium stainless-steel Passenger E-rickshaw ensuring durability and extra life. Engineered for strength with stylish design, digital speedometer, and safe braking.

Specifications & Features:

Motor	BLDC 1000W/1250W
Controller	50A Capacity
Speed	25 KM/H (Economy Mode)
Charger Specifications	18AMP/25AMP
Range/Charge	90-100 km
Charging Time	4-8 Hours
Gross Vehicle Weight	584 kg
Front Suspension	43MM Telescopic Hydraulic
Brake System	Leaf Spring with Spring Shocker
Rear Suspension	Drum Brakes (Front & Rear)
Wheel Base	1200 mm
Ground Clearance	140mm

Dimension (LxWxH)	(2750 x 990 x 1790) MM
Key Feature	Central Locking & Fog Lights
Loading Capacity	150 Kg
Head Light	12V Tube
Tyre	Front - 3.75 - 12 Rear - 3.75 - 12
Back Light	Unique Design with LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion
Wheel	Stylish Aluminium Alloy Wheel
Seats Capacity	4+1 Passenger

Colors Availability





SUPERFINE-MS



Advanced mild steel model offering enhanced comfort and powerful torque performance. Perfect for passengers with reliable battery options and attractive alloy wheels

Specifications & Features:

Motor	BLDC 1000W/1250W
Controller	Capacity: 50A
Speed	Economy – 25 KM/H
Charger Specifications	18AMP/25AMP
Range/Charge	90 km to 100 km
Charging Time	4 to 8 Hours
Gross Vehicle Weight	584Kgs
Front Suspension	43MM Telescopic Hydraulic
Brake System	Shockers
Rear Suspension	Both Drum Brake
Wheel Base	Leaf Spring With Spring
Ground Clearance	Shockers

Dimension (LxWxH)	(2750 x 990 x 1790) MM
Key Feature	Central Locking & Fog Lights
Loading Capacity	150 Kg
Head Light	12V Tube
Tyre	Front - 3.75 - 12 Rear - 3.75 - 12
Back Light	Unique Design with LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion
Wheel	Stylish Aluminium Alloy Wheel
Seats Capacity	4+1 Passenger

Colors Availability





SUPERFINE-SS



Top-tier stainless steel variant combining strength, smart features and elegant looks. Designed for passengers needing extra durability, safety, and smooth rides daily

Specifications & Features:

Motor	BLDC 1000W/1250W
Controller	Capacity: 50A
Speed	Economy – 25 KM/H
Charger Specifications	18AMP/25AMP
Range/Charge	90 km to 100 km
Charging Time	4 to 8 Hours
Gross Vehicle Weight	584Kgs
Front Suspension	43MM Telescopic Hydraulic Shockers
Brake System	Both Drum Brake
Rear Suspension	Leaf Spring With Spring Shockers
Wheel Base	1200MM
Ground Clearance	140MM

Dimension (LxWxH)	(2750 x 990 x 1790) MM
Key Feature	Central Locking & Fog Lights
Loading Capacity	150 Kg
Head Light	12V Tube
Tyre	Front - 3.75 - 12 Rear - 3.75 - 12
Back Light	Unique Design with LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion
Wheel	Stylish Aluminium Alloy Wheel
Seats Capacity	4+1 Passenger

Colors Availability





AUTO SS



Auto-style E-rickshaw for city rides with strong build and efficient battery system. Comfortable seating, central locking and fog lights for safety on every ride

Specifications & Features:

Motor	BLDC 1000W/1250W
Controller	Capacity: 50A
Speed	Economy – 25 KM/H
Charger Specifications	18AMP/25AMP
Range/Charge	90 km to 100 km
Charging Time	4 to 8 Hours
Gross Vehicle Weight	584Kgs
Front Suspension	43MM Telescopic Hydraulic Shockers
Brake System	Both Drum Brake
Rear Suspension	Leaf Spring With Spring Shockers
Wheel Base	1200MM
Ground Clearance	140MM

Dimension (LxWxH)	(2750 x 990 x 1790) MM
Key Feature	Central Locking & Fog Lights
Loading Capacity	150 Kg
Head Light	12V Tube
Tyre	Front - 3.75 - 12 Rear - 3.75 - 12
Back Light	Unique Design with LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion
Wheel	Stylish Aluminium Alloy Wheel
Seats Capacity	4+1 Passenger

Colors Availability





AUTO MS



Auto-style e-rickshaw for city rides with strong build and efficient battery system. Comfortable seating, central locking and fog lights for safety on every ride

Specifications & Features:

Motor	BLDC 1000W/1250W
Controller	Capacity: 50A
Speed	Economy – 25 KM/H
Charger Specifications	18AMP/25AMP
Range/Charge	90 km to 100 km
Charging Time	4 to 8 Hours
Gross Vehicle Weight	584Kgs
Front Suspension	43MM Telescopic Hydraulic Shockers
Brake System	Both Drum Brake
Rear Suspension	Leaf Spring With Spring Shockers
Wheel Base	1200MM
Ground Clearance	140MM

Dimension (LxWxH)	(2750 x 990 x 1790) MM
Key Feature	Central Locking & Fog Lights
Loading Capacity	150 Kg
Head Light	12V Tube
Tyre	Front - 3.75 - 12 Rear - 3.75 - 12
Back Light	Unique Design with LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion
Wheel	Stylish Aluminium Alloy Wheel
Seats Capacity	4+1 Passenger

Colors Availability





LOAD KING



Heavy-duty Cargo E-rickshaw designed to carry heavy loads with ease. Ideal for market deliveries and vendors with its strong chassis and long range

Specifications & Features:

Motor	BLDC 1000W/1250W
Controller	Capacity: 50A
Speed	Economy – 25 KM/H
Charger Specifications	18AMP/25AMP
Range/Charge	90 km to 100 km
Charging Time	4 to 8 Hours
Gross Vehicle Weight	584Kgs
Front Suspension	43MM Telescopic Hydraulic
Brake System	Both Drum Brake
Rear Suspension	Leaf Spring With Spring Shockers
Wheel Base	1200MM
Ground Clearance	140MM

Dimension (LxWxH)	(2750 x 990 x 1790) MM
Key Feature	Central Locking & Fog Lights
Loading Capacity	384 Kg
Head Light	12V Tube
Tyre	Front - 3.75 - 12 Rear - 3.75 - 12
Back Light	Unique Design with LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion
Wheel	Stylish Aluminium Alloy Wheel

Colors Availability





Special municipal utility vehicle for Garbage collection and sanitation tasks. Robust build with reliable battery ensuring uninterrupted daily operations

Specifications & Features:

Motor	BLDC 1000W/1250W
Controller	Capacity: 50A
Speed	Economy – 25 KM/H
Charger Specifications	18AMP/25AMP
Range/Charge	90 km to 100 km
Charging Time	4 to 8 Hours
Gross Vehicle Weight	584Kgs
Front Suspension	43MM Telescopic Hydraulic Shockers
Brake System	Both Drum Brake
Rear Suspension	Leaf Spring With Spring Shockers
Wheel Base	1200MM
Ground Clearance	140MM

Dimension (LxWxH)	(2750 x 990 x 1790) MM
Key Feature	Central Locking & Fog Lights
Loading Capacity	384 Kg
Head Light	12V Tube
Tyre	Front - 3.75 - 12 Rear - 3.75 - 12
Back Light	Unique Design with LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion
Wheel	Stylish Aluminium Alloy Wheel

Colors Availability





PASSENGER



High-speed Auto Rickshaw with powerful 3KW motor for Passenger transport. Built for fleet operators needing durable, efficient and comfortable city rides.

Specifications & Features:

Motor	3KW
Battery	60V, 105Ah Trontek
Charger	25Ah (Trontek)
Differential	48"
Suspension	Front-Telescopic dual spring, Rear-Lead spring & rear shocker
Tyre	4.50.12 (Apollo)
Loading Capacity	1 Ton

Colors Availability





"Built for effortless mobility, the S Pro is a compact and lightweight electric scooter ideal for city rides, daily errands, and first-time EV users

Specifications & Features:

Motor	3KW
Battery	60V, 105Ah Trontek
Charger	25Ah (Trontek)
Differential	48"
Suspension	Front-Telescopic dual spring, Rear-Lead spring & rear shocker
Tyre	4.50.12 (Apollo)
Loading Capacity	1 Ton

Colors Availability





SUPERTECH EV LIMITED

Head Office Unit No-1

Ground Floor, Plot No-150, HSIDC Sector-16,
Bahadurgarh, Jhajjar, Haryana, 124507

Manufacturing Unit No-2

Hasra No-144/5/2/1, Asodha Todran, Rohad,
Jhajjar, Haryana, 124501

Manufacturing Unit No-3

Khewat No-395/353, Khata No-433,khasra No-53/12-53/9/
Udyog Vihar, Back Side Hero Honda Agency, Sankhol
Village, Bahadurgarh, Jhajjar, Haryana, 124507

+91-9540004600

Info@supertechev.com